

EXTER. DIAM.	SDR 33 PN 4		SDR 26 PN 5	
	CODE	WALL THICKNESS (mm)	CODE	WALL THICKNESS (mm)
Φ 50	-	-	7200050050	2.0
Φ 63	-	-	7200050063	2.5
Φ 75	7200040075	2.3	7200050075	2.9
Φ 90	7200040090	2.8	7200050090	3.5
Φ 110	7200040110	3.4	7200050110	4.2
Φ 125	7200040125	3.9	7200050125	4.8
Φ 140	7200040140	4.3	7200050140	5.4
Φ 160	7200040160	4.9	7200050160	6.2
Φ 180	7200040180	5.5	7200050180	6.9
Φ 200	7200040200	6.2	7200050200	7.7
Φ 225	7200040225	6.9	7200050225	8.6
Φ 250	7200040250	7.7	7200050250	9.6
Φ 280	7200040280	8.6	7200050280	10.7
Φ 315	7200040315	9.7	7200050315	12.1
Φ 355	7200040355	10.9	7200050355	13.6
Φ 400	7200040400	12.3	7200050400	15.3
Φ 450	7200040450	13.8	7200050450	17.2
Φ 500	7200040500	15.3	7200050500	19.1
Φ 560	7200040560	17.2	7200050560	21.4
Φ 630	7200040630	19.3	7200050630	24.1



APPLICATIONS

Multiple applications for sewerage, water supply, undersea, cable protection.

COLOR

Black

PACKAGING

Φ 16 – Φ 32 coiled pipes of 250m
 Φ 40 – Φ 125 coiled pipes of 100m
 Φ 140 – Φ 630 up to 13.60m in length



Polyethylene perforated for drainage are produced upon request Φ 75 - Φ 400

SDR 21 PN 6			SDR 13.6 PN 10	
EXTER. DIAM.	CODE	WALL THICKNESS (mm)	CODE	WALL THICKNESS (mm)
Φ 25	-	-	7200100025	2.0
Φ 32	-	-	7200100032	2.4
Φ 40	7200060040	2.0	7200100040	3.0
Φ 50	7200060050	2.4	7200100050	3.7
Φ 63	7200060063	3.0	7200100063	4.7
Φ 75	7200060075	3.6	7200100075	5.6
Φ 90	7200060090	4.3	7200100090	6.7
Φ 110	7200060110	5.3	7200100110	8.1
Φ 125	7200060125	6.0	7200100125	9.2
Φ 140	7200060140	6.7	7200100140	10.3
Φ 160	7200060160	7.7	7200100160	11.8
Φ 180	7200060180	8.6	7200100180	13.3
Φ 200	7200060200	9.6	7200100200	14.7
Φ 225	7200060225	10.8	7200100225	16.6
Φ 250	7200060250	11.9	7200100250	18.4
Φ 280	7200060280	13.4	7200100280	20.6
Φ 315	7200060315	15.0	7200100315	23.2
Φ 355	7200060355	16.9	7200100355	26.1
Φ 400	7200060400	19.1	72000100400	29.4
Φ 450	7200060450	21.5	72000100450	33.1
Φ 500	7200060500	23.9	72000100500	36.8
Φ 560	7200060560	26.7	72000100560	41.2
Φ 630	7200060630	30.0	72000100630	46.3



COLOR

Black

APPLICATIONS

Multiple applications for sewerage, water supply, undersea networks, cable protection.

PACKAGING

- Φ 16 – Φ 32 coiled pipes of 250m
- Φ 40 – Φ 125 coiled pipes of 100m
- Φ 140 – Φ 630 up to 13.60m in length

EXTER. DIAM.	CODE	WALL THICKNESS (mm)	CODE	WALL THICKNESS (mm)
Φ 25	-	-	7200160025	3.0
Φ 32	7200120032	3.0	7200160032	3.6
Φ 40	7200120040	3.7	7200160040	4.5
Φ 50	7200120050	4.6	7200160050	5.6
Φ 63	7200120063	5.8	7200160063	7.1
Φ 75	7200120075	6.8	7200160075	8.4
Φ 90	7200120090	8.2	7200160090	10.1
Φ 110	7200120110	10.0	7200160110	12.3
Φ 125	7200120125	11.4	7200160125	14.0
Φ 140	7200120140	12.7	7200160140	15.7
Φ 160	7200120160	14.6	7200160160	17.9
Φ 180	7200120180	16.4	7200160180	20.1
Φ 200	7200120200	18.2	7200160200	22.4
Φ 225	7200120225	20.5	7200160225	25.2
Φ 250	7200120250	22.7	7200160250	27.9
Φ 280	7200120280	25.4	7200160280	31.3
Φ 315	7200120315	28.6	7200160315	35.2
Φ 355	7200120355	32.2	7200160355	39.7
Φ 400	7200120400	36.3	72000160400	44.7
Φ 450	7200120450	40.9	72000160450	50.3
Φ 500	7200120500	45.4	72000160500	55.8
Φ 560	7200120560	50.8		
Φ 630	7200120630	57.2		



COLOR

Black

APPLICATIONS

Multiple applications for sewerage, water supply, undersea networks, cable protection.

PACKAGING

Φ 16 – Φ 32 coiled pipes of 250m
 Φ 40 – Φ 125 coiled pipes of 100m
 Φ 140 – Φ 630 up to 13.60m in length

SDR 26 PN 4

SDR 17,6 PN 6

EXTER. DIAM.	CODE	WALL THICKNESS (mm)	CODE	WALL THICKNESS (mm)
Φ 25	-	-	7201060025	1.8
Φ 32	7201040032	1.8	7201060032	1.9
Φ 40	7201040040	1.8	7201060040	2.3
Φ 50	7201040050	2.0	7201060050	2.9
Φ 63	7201040063	2.5	7201060063	3.6
Φ 75	7201040075	2.9	7201060075	4.3
Φ 90	7201040090	3.5	7201060090	5.1
Φ 110	7201040110	4.2	7201060110	6.3
Φ 125	7201040125	4.8	7201060125	7.1
Φ 140	7201040140	5.4	7201060140	8.0
Φ 160	7201040160	6.2	7201060160	9.1
Φ 180	7201040180	6.9	7201060180	10.2
Φ 200	7201040200	7.7	7201060200	11.4
Φ 225	7201040225	8.6	7201060225	12.8
Φ 250	7201040250	9.6	7201060250	14.2
Φ 280	7201040280	10.7	7201060280	15.9
Φ 315	7201040315	12.1	7201060315	17.9
Φ 355	7201040355	13.6	7201060355	20.1
Φ 400	7201040400	15.3	7201060400	22.7
Φ 450	7201040450	17.2	7201060450	25.5
Φ 500	7201040500	19.1	7201060500	28.4
Φ 560	7201040560	21.4	7201060560	31.7
Φ 630	7201040630	24.1	7201060630	35.7



COLOR

Black

APPLICATIONS

Multiple applications for sewerage, water supply, undersea networks, cable protection.

PACKAGING

Φ 16 – Φ 32 coiled pipes of 250m
 Φ 40 – Φ 125 coiled pipes of 100m
 Φ 140 – Φ 630 up to 13.60m in length

SDR 11 PN 10

SDR 7.4 PN 16

EXTER. DIAM.	CODE	WALL THICKNESS (mm)	CODE	WALL THICKNESS (mm)
Φ 16	7201100016	1.8	7201160016	2.2
Φ 20	7201100020	1.9	7201160020	2.8
Φ 25	7201100025	2.3	7201160025	3.5
Φ 32	7201100032	2.9	7201160032	4.4
Φ 40	7201100040	3.7	7201160040	5.5
Φ 50	7201100050	4.6	7201160050	6.9
Φ 63	7201100063	5.8	7201160063	8.6
Φ 75	7201100075	6.8	7201160075	10.3
Φ 90	7201100090	8.2	7201160090	12.3
Φ 110	7201100110	10.0	7201160110	15.1
Φ 125	7201100125	11.4	7201160125	17.1
Φ 140	7201100140	12.7	7201160140	19.2
Φ 160	7201100160	14.6	7201160160	21.9
Φ 180	7201100180	16.4	7201160180	24.6
Φ 200	7201100200	18.2	7201160200	27.4
Φ 225	7201100225	20.5	7201160225	30.8
Φ 250	7201100250	22.7	7201160250	34.2
Φ 280	7201100280	25.4	7201160280	38.3
Φ 315	7201100315	28.6	7201160315	43.1
Φ 355	7201100355	32.2	7201160355	48.5
Φ 400	7201100400	36.3	7201160400	54.7
Φ 450	7201100450	40.9	7201160450	61.5
Φ 500	7201100500	45.4		
Φ 560	7201100560	50.8		
Φ 630	7201100630	57.2		



COLOR

Black

APPLICATIONS

Multiple applications for sewerage, water supply, undersea networks, cable protection.

PACKAGING

- Φ 16 – Φ 32 coiled pipes of 250m
- Φ 40 – Φ 125 coiled pipes of 100m
- Φ 140 – Φ 630 up to 13.60m in length